

PRACTITIONER

[REDACTED]
[REDACTED]

PATIENT

Name: [REDACTED]
DOB: [REDACTED]
Gender: M

TEST	RESULT			REFERENCE (ELISA Index)
	IN RANGE (Normal)	EQUIVOCAL*	OUT OF RANGE	
Array 10 - Food Immune Reactivity Screen **				
DAIRY and EGGS, Modified				
Egg White, cooked	0.15			0.1-1.6
Egg Yolk, cooked	0.20			0.1-1.7
Goat's Milk	0.27			0.1-1.9
Soft Cheese + Hard Cheese	0.35			0.1-1.7
Yogurt	0.12			0.1-2.0
GRAINS, Raw and Modified				
Rice, white + brown, cooked	0.36			0.1-1.3
Rice Cake	0.46			0.2-1.8
Rice Protein	0.47			0.2-1.7
Rice Endochitinase	0.31			0.2-1.7
Wild Rice, cooked	0.37			0.1-1.3
Wheat + Alpha-Gliadins	0.39			0.2-1.9
BEANS and LEGUMES, Modified				
Black Bean, cooked	0.29			0.3-2.1
Bean Agglutinins	1.06			0.3-1.9
Dark Chocolate + Cocoa	0.37			0.2-1.2
Fava Bean, cooked	0.34			0.3-1.5
Garbanzo Bean, cooked	0.82			0.2-1.8
Kidney Bean, cooked	0.21			0.3-1.5
Lentil, cooked	0.45			0.3-2.0
Lentil Lectin	0.49			0.2-1.9
Lima Bean, cooked	0.24			0.1-1.8
Pinto Bean, cooked	0.25			0.4-2.4
Soybean Agglutinin	0.35			0.1-1.7
Soybean Oleosin + Aquaporin	0.29			0.2-1.8

** For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

* Reference ranges are calculated based on the mean ± 2 standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.

PRACTITIONER

[REDACTED]
[REDACTED]

PATIENT

Name: [REDACTED]
DOB: [REDACTED]
Gender: M

Soy Sauce, gluten-free	0.79			0.2-1.9
Tofu	0.58			0.2-1.4
NUTS and SEEDS, Raw and Modified				
Almond	0.31			0.2-1.8
Almond, roasted	0.22			0.2-2.0
Brazil Nut, raw + roasted	0.39			0.1-1.8
Cashew	0.42			0.2-1.5
Cashew, roasted	0.47			0.2-2.3
Cashew Vicilin	0.48			0.3-1.7
Chia Seed	0.49			0.2-1.7
Flax Seed	0.17			0.1-1.3
Hazelnut, raw + roasted	0.32			0.1-1.7
Macadamia Nut, raw + roasted	0.47			0.3-2.3
Mustard Seed	0.44			0.4-1.5
Pecan, raw + roasted	0.33			0.3-1.5
Peanut, roasted	0.30			0.2-1.4
Peanut Butter	0.43			0.2-1.9
Peanut Agglutinin	0.59			0.3-1.9
Peanut Oleosin	<0.20			0.3-1.8
Pistachio, raw + roasted	0.51			0.4-2.0
Pumpkin Seeds, roasted	0.27			0.2-1.6
Sesame Albumin	0.32			0.2-1.3
Sesame Oleosin	<0.20			0.2-1.6
Sunflower Seeds, roasted			1.74	0.2-1.5
Walnut	0.37			0.3-2.0
VEGETABLES, Raw and Modified				
Artichoke, cooked	0.44			0.1-2.7
Asparagus	0.69			0.3-2.1
Asparagus, cooked	0.43			0.1-2.2
Beet, cooked		1.16		0.1-1.5

** For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

* Reference ranges are calculated based on the mean ± 2 standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.

PRACTITIONER

[REDACTED]
[REDACTED]
[REDACTED]

PATIENT

Name: [REDACTED]
DOB: [REDACTED]
Gender: M

Bell Pepper	0.62			0.1-1.8
Broccoli	0.47			0.1-1.5
Broccoli, cooked	0.25			0.1-2.0
Brussels Sprouts, cooked	0.26			0.1-3.0
Cabbage, red + green	0.42			0.1-2.5
Cabbage, red + green, cooked	0.27			0.1-2.5
Canola Oleosin	0.50			0.1-1.9
Carrot	0.43			0.1-2.7
Carrot, cooked	0.29			0.1-2.2
Cauliflower, cooked	0.16			0.1-2.2
Celery	0.37			0.1-2.3
Chili Pepper	0.54			0.1-1.9
Corn + Aquaporin, cooked	0.35			0.1-1.8
Popped Corn	0.30			0.1-1.9
Corn Oleosin	0.28			0.1-1.4
Cucumber, pickled	0.33			0.1-2.6
Eggplant, cooked	0.27			0.1-2.1
Garlic	0.36			0.1-2.2
Garlic, cooked	0.39			0.1-1.9
Green Bean, cooked	0.32			0.1-1.5
Lettuce	0.45			0.1-1.5
Mushroom, raw + cooked	0.36			0.1-1.6
Okra, cooked	0.29			0.1-1.5
Olive, green + black, pickled	0.31			0.1-1.7
Onion + Scallion	0.30			0.1-1.7
Onion + Scallion, cooked	0.31			0.1-1.5
Pea, cooked	0.47			0.1-1.5
Pea Protein	0.84			0.1-2.3
Pea Lectin	0.73			0.1-1.7
Potato, white, cooked (baked)	0.24			0.1-1.8

** For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

* Reference ranges are calculated based on the mean ± 2 standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.

PRACTITIONER

[REDACTED]
[REDACTED]
[REDACTED]

PATIENT

Name: [REDACTED]
DOB: [REDACTED]
Gender: M

Potato, white, cooked (fried)	0.41			0.1-1.6
Pumpkin + Squash, cooked	0.41			0.1-1.3
Radish	0.34			0.1-1.7
Safflower + Sunflower Oleosin	0.23			0.1-1.5
Seaweed	0.46			0.1-1.2
Spinach + Aquaporin	0.43			0.1-1.5
Tomato + Aquaporin	0.53			0.2-2.2
Tomato Paste	0.26			0.2-2.1
Yam + Sweet Potato, cooked	0.28			0.3-1.9
Zucchini, cooked	0.22			0.3-1.9
FRUIT, Raw and Modified				
Apple	0.47			0.2-1.5
Apple Cider	0.47			0.3-1.3
Apricot	0.61			0.2-2.8
Avocado	0.53			0.6-2.5
Banana	0.59			0.1-2.3
Banana, cooked	0.57			0.2-2.8
Latex Hevein	0.25			0.3-2.0
Blueberry	0.24			0.1-1.6
Cantaloupe + Honeydew Melon	0.31			0.1-1.2
Cherry	0.39			0.2-1.4
Coconut, meat + water	0.29			0.2-2.0
Cranberry	0.43			0.3-2.4
Date	0.41			0.2-1.4
Fig	0.65			0.2-2.2
Grape, red + green	0.46			0.2-1.0
Red Wine	0.54			0.1-2.3
White Wine	0.77			0.1-2.6
Grapefruit		1.82		0.2-1.9
Kiwi	0.37			0.2-1.7

** For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

* Reference ranges are calculated based on the mean ± 2 standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.

PRACTITIONER

[REDACTED]
[REDACTED]

PATIENT

Name: [REDACTED]
DOB: [REDACTED]
Gender: M

Lemon + Lime	0.27			0.2-1.3
Mango	0.45			0.2-1.5
Orange	0.81			0.2-1.7
Orange Juice	0.33			0.2-1.8
Papaya	1.07			0.2-1.7
Peach + Nectarine	0.52			0.2-2.0
Pear	0.33			0.2-2.6
Pineapple	0.71			0.1-1.9
Pineapple Bromelain	0.45			0.2-2.6
Plum	0.26			0.3-2.2
Pomegranate	0.50			0.4-2.2
Strawberry	0.25			0.3-2.3
Watermelon	0.30			0.2-1.8
FISH and SEAFOOD, Raw and Modified				
Cod, cooked	0.43			0.2-1.8
Halibut, cooked	1.01			0.1-1.6
Mackerel, cooked	0.32			0.2-2.0
Red Snapper, cooked	0.38			0.1-1.5
Salmon	0.36			0.2-2.3
Salmon, cooked	0.26			0.2-2.4
Sardine + Anchovy, cooked	0.26			0.3-2.9
Sea Bass, cooked	0.52			0.2-2.8
Tilapia, cooked	0.74			0.1-1.8
Trout, cooked	0.31			0.1-2.4
Tuna	0.51			0.1-2.7
Tuna, cooked	0.47			0.1-1.3
Whitefish, cooked	0.36			0.1-1.4
Crab + Lobster, cooked	1.26			0.2-2.1
Imitation Crab, cooked	0.17			0.1-1.7
Clam, cooked	0.58			0.1-1.9

** For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

* Reference ranges are calculated based on the mean ± 2 standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.

PRACTITIONER

[REDACTED]
[REDACTED]

PATIENT

Name: [REDACTED]
DOB: [REDACTED]
Gender: M

Oyster, cooked	0.68			0.1-1.6
Scallops, cooked	0.27			0.1-2.0
Squid (Calamari), cooked	1.05			0.1-2.0
Shrimp, cooked	0.56			0.1-2.1
Shrimp Tropomyosin	0.62			0.1-1.6
Parvalbumin	0.62			0.1-1.7
MEAT, Modified				
Beef, cooked medium	0.73			0.3-1.9
Chicken, cooked	0.58			0.2-1.5
Lamb, cooked	0.25			0.1-1.3
Pork, cooked	0.28			0.1-2.2
Turkey, cooked	0.30			0.1-1.3
Gelatin	0.65			0.1-1.3
Meat Glue	0.28			0.1-1.3
HERBS, Raw				
Basil	0.50			0.2-1.8
Cilantro	0.39			0.1-1.5
Cumin	0.71			0.2-2.3
Dill	0.33			0.3-1.7
Mint	0.75			0.3-2.1
Oregano	0.49			0.4-2.6
Parsley	0.35			0.1-1.3
Rosemary	0.50			0.3-2.2
Thyme	0.59			0.4-1.8
SPICES, Raw				
Cinnamon	<0.30			0.3-1.7
Clove	0.46			0.4-1.8
Ginger	0.38			0.1-2.5
Nutmeg	0.53			0.2-1.9
Paprika	0.68			0.2-2.1

** For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

* Reference ranges are calculated based on the mean ± 2 standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.

PRACTITIONER

[REDACTED]
[REDACTED]
[REDACTED]

PATIENT

Name: [REDACTED]
DOB: [REDACTED]
Gender: M

Turmeric (Curcumin)	0.53			0.1-1.7
Vanilla	0.75			0.1-2.4
GUMS				
Beta-Glucan	0.21			0.1-1.3
Carrageenan	1.28			0.2-2.0
Gum Guar		1.91		0.2-2.4
Gum Tragacanth	0.30			0.1-1.4
Locust Bean Gum	<0.20			0.2-1.4
Mastic Gum + Gum Arabic			1.49	0.1-1.1
Xanthan Gum	0.73			0.1-1.7
BREWED BEVERAGES and ADDITIVES				
Coffee Bean Protein, brewed	0.42			0.2-1.8
Black Tea, brewed	0.48			0.3-1.6
Green Tea, brewed	0.48			0.3-1.8
Honey, raw +processed	0.60			0.1-1.3
Food Coloring	0.53			0.2-1.8

** For details on the method of cooking, please see specification sheets. All analytes are tested for IgG and IgA combined.

* Reference ranges are calculated based on the mean ± 2 standard deviations (SD). Results > 1 SD, and < 2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results > 2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.